

10 MCQ For IBPS IT Officer Exam 2017

1) For the tree below, write the in-order traversal.

- a) 2, 7, 5, 6, 11, 2, 5, 4, 9
- b) 3, 5, 8, 9, 12, 5, 4, 6, 7
- c) 1, 3, 4, 7, 9, 13, 2, 4, 8
- d) 2, 4, 6, 8, 10, 12, 3, 5, 7
- e) None of these

2) In previous question, the average access time will be

- a) 266 units
- b) 245 units
- c) 268 units
- d) 270 units
- e) None of these

3) Consider the strings "PQRSTPQRS" and "PRATPBRQRPS". What is the length of the longest common subsequence?

- a) 15
- b) 7
- c) 9
- d) 10
- e) None of these

4) The given array is $arr = \{1, 2, 4, 3\}$. Bubble sort is used to sort the array elements. How many iterations will be done to sort the array?

- a) 3
- b) 4
- c) 2
- d) 0
- e) None of these

5) A text is made up of the characters a, b, c, d, e each occurring with the probability .12, .4, .15, .08 and .25

respectively. The optimal coding technique will have the average length of

- a)2.15
- b)1.15
- c)3.25
- d)5.25
- e)None of these

6)The order of an algorithm that finds whether a given Boolean function of 'n' variables, produces a 1 is

- a)Structure
- b)Algorithm
- c)Constant
- d)Stack
- e)None of these

7)Which of the following methods can be used to find the sum of digits of a number?

- a)Recursion
- b)Bubble sort
- c)Iteration
- d)Both recursion and iteration
- e)None of these

8)What can be the maximum sum of digits for a 4 digit number?

- a)36
- b)9
- c)16
- d)4
- e)None of these

9)The running time of an algorithm is given by $T(n) = T(n - 1) + T(n - 2) - T(n - 3)$, if $n > 3$
n, otherwise.

- a) $\log n$
- b) nn
- c)n
- d) n^2

e)None of these

10)Topological sort is equivalent to which of the traversals in trees?

a)Pre-order traversal

b)Heap

c)Merge sort

d)In-order traversal

e)None of these

Answers:

1)a

2)c

3)b

4)b

5)a

6)c

7)d

8)a

9)c

10)a